AR- 41144Z

1a 17 Lab Pack
1b 17 "
1c 17 "
1d 17 "

SEE ACTUAL WTS.



STATE OF ARKANSAS Department of Pollution Control and Ecology Rock, Arkansas 72219

J1-362-7444

(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

riea	se přír vype. (Form designed for use on ente (12-přích) typev		Manifest	2. Page 1	Information in	he shaded areas is not			
4	UNIFORM HAZARDOUS WASTE MANIFEST 1. Generator's US C A D 0 8	EPA ID No. ×.2 _{Do.}	cument No.	of 1	required by Fed	leral law.			
71	3. Generator's Name and Mailing Address	x 9 1	166		est Document Numb				
	McDonnell Douglas	•		AR-41					
11	19503 S. Normandy, Torrance, CA 90		B. State Gener	ators (U					
	4. Generator's Phone (213) 533-6677	Generator's Phone (213) 533-6677							
	5. Transporter 1 Company Name	6. US EPA ID Num		C. State Trans		6 1065 383			
	Findly Chemical Disposal, Inc.	C A D O 8 1 1 5 1	1 4 6 6	D. Transporter	1 /	714 823-3939			
	7. Transporter 2 Company Name	8. US EPA ID Num	nber	E. State Transp F. Transporter		PC H			
$\ $									
	9. Designated Facility Name and Site Address	10. US EPA JD Num	ider	G. State Facilit					
	Ensco	H. Facility's Pl	TOPA .						
$\ \ $	American Oil Road	i aciniya ii	501 863-717						
	El Dorado, ARK	A R D O 6 9 7 4 8	12. Conta	iners I	13. 14.	ALC: ALC: ALC: ALC: ALC: ALC: ALC: ALC:			
	11. US DOT Description (Including Proper Shipping Name, Hazard Class, a	nd ID Number)			Total Uni	t die e			
Ţ			No.	1ype					
G E	a Waste Compressed Gas, N.U.S., Flammable Gas, UN 1954		003						
N È	Transmente Gas, on That		0 0 4	DFO	0 6 0 0 P	D001			
R	L Masta ODM-A N O C ODM-A NA 160	13	1 7 7 7	7 - 1 "	-1 -1 -1 -				
A	b. Waste ORM-A, N.O.S., ORM-A, NA 169	· •							
6			0 0 1	рво	0 0 5 5 6	Mone. NR			
R	c. Waste Combustible Liquid, N.O.S.,	NA 1993	1		<u> </u>				
$\ \ $	e waste compastinte ni data, n.o.p.;		1						
			0,0,3	рмо	0 _{լ 1} , 6 _լ 5 6	NR			
	d and the control of the state of	21	1 1 1 1 -	 					
	O WASTE COMPRESSED GAS, N.O.S., NON	FIANDADULE GAS,			'				
•	UN 1956		alali	DIPOIO	10/2/0/ 8	- MR -			
r 1	J. Additional Descriptions for Materials Listed Above			K. Handling C	odes for Wastes Lis	led Above			
	a) WMDS123524 Dr#1,2(2x55GPD)Dr##	,4(1x20GPD)			Y RESPONSE IN				
	b) WMDS123524 Dr#5(1x55GPD)	10 2004 111	150#		nnell Dou;	JIA8			
	c) WMDS123524 Dr#6,7,8(3x55GSD)			Ar18	Anderson) 533-667	7			
	if no alternate TSDF, return to generator	10.534 11d	, 48 4						
	15. Special Handling Instructions and Additional Information								
	See Attached List	DOT E 776 8				i			
	D) WANDS 123524 DR. # 3 (1x 20 GPD)								
۳	MEED AWAY FROM SDARKS AND OPEN F	Planes							
	16. OF NED A TORIS OF DETIFICATION: I hereby declare that the content	te of this consignment are fully and	accurately des	cribed above b	y proper shipping n	ame and are classified,			
	packed, marked, and labeled, and are in all respects in proper condition for	or transport by highway according to	applicable into	ernational and i	iational governmen	regulations and Arkan			
	sas state regulations. If I am a large quantity generator, I certify that I have a program in place to ticable and that I have selected the practicable method of treatment, stored.	o reduce the volume and toxicity of w	aste generate	d to the degree	I have determined t	o be economically prac- eat to human health and			
	the environment; OR, if I am a small quantity generator, I have made a	good faith effort to minimize my wa	aste generatio	n and select th	ne best waste mana	gement method that is			
	available to me and that I can afford.					Month Day Year			
Ψ	Printed/Typed Name	Signature		_		Sid i i on			
1	TRIS HNDERSON					1471/1/17			
Ţ	17. Transporter 1 Acknowledgement of Receipt of Materials			·	-	Month Day Year			
RAN	Printed/Typed Name	Signature							
S	LEROY THOMPSON TR	Levy Thomps	- zr			10141/11910			
	18. Transporter 2 Acknowledgement of Receipt of Materials	[C!t				Month Day Year			
ORTER	Printed/Typed Name	Signature	. •						
Ŕ									
	19. Discrepancy Indication Space								
F									
Ĩ	20. Facility Own∉r or Operator: Certification of receipt of hazardous materi.	als covered by this manifest excent	as noted in Iti	em 19.		· · · · · · · · · · · · · · · · · · ·			
Ť	20. Facility Owner or Operator: Certification of receipt of nazardous material	Signature Signature	1	<u> </u>		Month Day Year			
ľ	KANDON/ MANDE	KnHI	looL)		<i>1 o ,</i>	042140			
Ļ	A Form 9700 22 (Pay 9 99) Provious adition is checleto	<u> </u>		سالاس		N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
EP.	A Form 8700-22 (Rev. 9-88) Previous edition is obsolete. NOTICE: THE ORIGINAL AND NOT LESS THAN TWO (2) COPI	ES MUST MOVE WITH THE HAZ	ARDOUS W	ASTE SHIPM	ENT. ONCE DELI	VERED, THE TREAT-			
	MENT/STORAGE/DISPOSAL FACILITY MUST RETURN THIS ORIGINAL COPY TO THE GENERATOR.								

as Igno (Language) INSTRUCTIONS: ARKANSAS UNIFORM HAZARDOUS WASTE MANIFEST 658 1

BACKANKA YO KING

Faste Compresent Gas, M.C.S.,

Wasie (RM-2 | H.C.S., (RM-A, WA 1695

THE PROPERTY OF THE PROPERTY O

- Block A. State Manifest Document Number: Must appear on all manifests. The Arkansas document number is provided on Arkansas forms.
- issued by the Department for generators/facilities without EPA identification numbers who are shipping only PCB material.
- Block C. State Transporter's ID: Permit numbers from this Department and the Arkana State Commission must appear on this line.
 - Block D. Transporter's Telephone: Must appear on line D.

.HOLA

- Brock I. Waste Number: The EPA waste code number must appear in I, in addition to any other state-issued waste number. Refer to 40 CFR 261, Subparts C and D. Polychlorinated Byphenyls should be listed as PCB.
- ^{a s}Block K. Emergency Response: Generator personnel name and telephone number
 - Block 13. Total Quantity: Must appear in pounds or gallons.
 - Copies: The final, #2, yellow copy must be forwarded to this Department within 45 days of shipment. The generator is responsible for arranging the forwarding of this copy within the time limit.

The manifest must be completed for all applicable information which may include requirements by both the generation state and the destination state.

TYPE AS MUCH AS POSSIBLE AND CHECK TO MAKE SURE THAT SIGNATURES, DATES, QUANTITIES, UNITS, AND CONTAINER NUMBER AND TYPE APPEAR LEGIBLY ON ALL PAGES.

BURDEN DISCLOSURE STATEMENT

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, S.W., Washington, D.C. 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, D.C. 20503.



1	American Oil Road P.O. Box 1957
\sim 1	El Dorado, Arkansas 71731
company name: Mc Jonnell Wouglas Attention: Fris andusor	
This letter will serve to notify you of the following discre	· _
AR- 411442 received at ENSCO, INC., on $4-21$	<u>90</u> (date),
Plant # 39932 (E.O.N.)	
Weight Discrepancy + 10%. The correct weight is _Generator's EPA or State I.D. # corrected or added	
Generator's address corrected or added	
Container count changed from to	
Manifest created from AR Document	tation on file.
D.O.T. Description corrected or added	
Additional Comments: 11a. 309# 11b. 158#	//c.534 #

This letter is being used to fulfill ENSCO's obligation to comply with the Arkansas State Hazardous Waste Management Code. We at ENSCO, INC. appreciate your cooperation in this matter.

If you DO NOT agree with this final information, contact your sales correspondent <u>immediately</u> to reconcile any discrepancies.

Jony Williamson

Tony Williamson Data Center Manager

TW/da



STATE OF ARKANSAS Department of Pollution Control and Ecology



P. O. Box 9583 Little Rock, Arkan Telephone 501-562-7444			Form	Approved. OMB N	No 2050-0039 F	vnirae 0-30-0
se print or type. (Form designed for use on elite (12-pitch) typ	The state of the s	Manifest	2. Pag			
UNIFORM HAZARDOUS 1. Generator's	Doc	cument No.	1 . 7	required	ion in the shaded a by Federal law.	areas is not
WASTE MANIFEST 3. Generator's Name and Mailing Address	<u> sisisialololsiqi</u>	1131814		te Manifest Documen	if <u>Nu</u> mber	
· · ·	•	,	200	_41144	2746	
McDonnell Douglas	· •			te Generator's ID		
19503 S. Normandy, Torrance, CA 9	0502	!				
4. Generator's Phone () 3 3 3 3 4 4 7 5. Transporter 1 Company Name	6. US EPA ID Num	nher	C. Stat	te Transporter's ID	PC 1065	263
				nsporter's Phone	nt for An An	он 202 323-3939
Findly Chemical Disposal, Inc. 7. Transporter 2 Company Name	C A D O 8 1 1 5 7 8. US EPA ID Num			e Transporter's ID		
7. Transporter 2 Company Ivanic	0	1 1 1		nsporter's Phone	PG	H
Designated Facility Name and Site Address	10. US EPA ID Num			e Facility's ID		
	10. OO EL P. I. C.	.Dei				
Ensco		1	H Fac	ility's Phone	14561 2467	
American Oil Road	· · · · · · · · · · · · · · · · · · ·	് പെലിലെ ഉ				63-7173
El Dorado, ARK	ARD 0 6 9 7 4 8	8 1 9 2 12. Contai			14.	
11. US DOT Description (Including Proper Shipping Name, Hazard Class	s, and ID Number)		1	Total Quantity	Unit	
		No.	Туре	Quantity	AACI ACI	aste No.
a Waste Compressed Cas, N.O.S.,		003		1		
Planmable Gas, UN 1954						
		0 0 4	DF	00600	P DOO1	
b. Waste ORM-A, N.O.S., ORM-A, NA 16	,93	.1		1		
				1		AND THE RESERVE OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED
		0 0 1	DF	1 0 0 0 5 5	5 G	
c. Waste Combustible Liquid, N.O.S.,	NA 1993	T	[-]			
in the second se				1 ,		
		0 0 3	D is	00165	S G	
d. while transmissed for dette to	18 18 18 1 1/2 BAR	1				
	g w	'		1		
grand the state of		00011	10 M			
J. Additional Descriptions for Materials Listed Above			K. Han	dling Codes for Was	es Listed Above	
a) WMDS123524 Dr#1,2(2x55GPD)Dr#	3,4(2x20GPD)			RGENCY RESPON		ON:
b) WMDS123524 Dr#5(1x55GPD)				fcDonnell I	SCHOOL SECTION AND ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION ADDRESS OF THE SECTION AND ADDRESS OF THE SECTION ADDRESS O	
<u>c) 10(DS123524 Dr#6,7,8(3x55GSD)</u>				Krie Anders		
if no alternate TSDF, return to generator			* L	(213) 533-(<i>(</i> 677)	
15. Special Handling Instructions and Additional Information		ACRES AND RESERVED	E. Ibligge			Communication of the section of the
See Attached Liet	DOT E 776 ²					
DECEMBER 1150 P 3 CM 20 A AD	MANA MA 22-					
.,						
The state of the s						
 GENERATOR'S CERTIFICATION: I hereby declare that the conte packed, marked, and labeled, and are in all respects in proper condition 	ents of this consignment are fully and a	ccurately des	cribed at	bove by proper ship	ping name and are	classified,
sas state regulations.						
If I am a large quantity generator, I certify that I have a program in place ticable and that I have selected the practicable method of treatment, s	storage, or disposal currently available to	o me which mir	inimizes t	the present and futu	re threat to human	n health and
the environment; OR, if I am a small quantity generator, I have made available to me and that I can afford.	a good faith effort to minimize my war	ste generation	n and se	lect the best waste	management met	hod that is
	Tot-sturn /				Month	Day Year
Printed/Typed Name	Signature		and the st. was deple to		Monai AM	Day 164
TRIS FINDLESON	- A formation	Mary and a second of the	the state of the s	And the second s		HILL
17. Transporter 1 Acknowledgement of Receipt of Materials	/ "Manual"					
Printed/Typed Name	Signature				Month	Day Year
Lang 71000 per Je	And the second s	1 1 to 1 1 to 1 to 1 to 1 to 1 to 1 to				12 18 19 10
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name	Signature				Month	Day Year
				· 		1 1 1
19. Discrepancy Indication Space						
<i>(</i>						4 -
20. Facility Owner or Operator: Certification of receipt of hazardous mate	erials covered by this manifest except a	as noted in Ite	em 19.			
Printed/Tuned Name	Signature				Month	Day Year

EPA Form 8700-22 (Rev. 9-88) Previous edition is obsolete.

Manifest # AR-411442 EPA ID # CAD086510005 Date: April 11, 1990

Container # 1. DOT E-7768/55 gal. poly drum. Packed in vermiculite. WMDS 123524 D001 Aerosols Waste Compressed Gas, N.O.S., Flammable Gas UN 1954

aste	Compre	essed	Gas, N.	0.S.	, Flammable Gas UN 1954		
	4	x	16	oz.	Steel Brite Cleaner		
	11	х	15	oz.	Plate Cleaner		
	4	х	11	oz.	Lubricate		
	1	х	13	oz.	Acrylic Sray Coating		
	3	х	12	oz.	WD-40 Lubricate		
	1	х	20	oz.	tainless Steel Cleaner		
	1	x	3	oz.	PCL Lubricant		
	1	х	16	oz.	Dust Absorber		
	8	х	14	oz.	3-36 Lubricant		
	2	х	14	oz.	Skin Pro (skin protector)		
	3	X	15	oz.	Dye		
	4	x	16	oz.	Air Freshener		
	1	х	18	oz.	Gasket Remover		
	1	х	6	oz.	Contact Cleaner		
	2	х	18	oz.	Chain Lubricant		
	1	х	19	oz.	Degreaser		
	2	х	13	oz.	Microfinish		
	1	х	18	oz.	Spray Polish		
	29	х	18	oz.	Paint (striping paint)	Flammable Liquid	UN 1263
	1	х	6	oz.	Paint (primert)	Flammable Liquid	UN 1263
	11	х	12	oz.	Paint (spray paint)	Flammable Liquid	UN 1263
	1	Х	12	oz.	Paint (fluid remover)	Flammable Liquid	UN 1263
		х	11	oz.	Paint (spray finish)	Flammable Liquid	UN 1263
	5	х	12	oz.	Paint (layout finish)	Flammable Liquid	UN 1263
	1	х	12	oz.	Paint (primer)	Flammable Liquid	UN 1263
		X	17		Adhesive (spray adhesive)	Flammable Liquid	UN 1133
	60	X	16	οz	Citra Declogger (drain opener)		

Container # 2. DOT E-7768/55 gal. poly drum. Packed in vermiculite. WMDS 123524 D001 Aerosols Waste Compressed Gas. N.O.S., Flammable Gas UN 1954

waste	Compre	essea	Gas, N.	U.S.,	Flammable Gas UN 1954
	13	X	18	oz.	Steel Brite Cleaner
	11	Х	14	oz.	Mark Remover
	4	Х	11	oz.	3-36 Lubricant
	6	Х	12	oz.	711 Lubricant
	2	Х	12	oz.	Cutting and tapping fluid
	1	Х	19	oz.	Degreaser
	- 1	Х	15	oz.	Silicone Spray
	8	Х	10	oz.	Layout Fluid
	9	Х	18	oz.	Spray Polish
	6	Х	15 3/4	oz.	Rid Rust II
	1	X	12	oz.	Granite Surface Plate Cleaner
	14	Х	12	oz.	Spray Paint
	8	Х	13	oz.	Insulating Varnish
	4	Х	18	oz.	Striping Paint
	1	X	3.2	oz.	Spray Enamel
	2	Х	16	oz.	Zip (Cable Lube and Rust Preventive)
	3	Х	12	oz.	Spray Lubricant
	1	Х	12 3/4	oz.	Spray Lubricant
	3	Χ -	11	oz.	Spray Lubricant
Contai	iner #	2.	continue	d	

```
BOE-C6-0198567
```

```
Container # 2. continued
                                  Ignition and Battery Sealer
         1 x
                 12 3/4 07.
          1 x
                     13 oz.
                                  Spray Cleaner
          1 x
                     16 oz.
                                  Chain & Sprocket Lubricant
          3 x
                     12 oz.
                                  Layout Fluid
          2 x
                     14 oz.
                                  Cold Zinc Galvanize
          5 x
                     18 oz.
                                  Spray Paint
          1 x
                     13 oz.
                                  Spray Paint
          1 x
                 12 3/4 oz.
                                  Spray Paint
                                  Spray Adhesive
                 15 1/2 oz.
          1 x
          2 x
                    17 oz.
                                  Spray Adhesive
         1 x
                     20 oz.
                                  Belt Dressing
Container # 3. DOT E-7768/20 gal. poly drum. Packed in vermiculite. WMDS 123524 D001
Waste Compressed Gas, N.O.S., Flammable Gas UN 1954
         3 X
                     16 oz.
                                  Mold Lubricant
         1 x
                     12 oz.
                                  Silicone Spray
                     16 oz.
                                  Switch Relay and Contact Cleaner
         8 x
                     20 oz.
         1 x
                                  Bolt Buster
         37 x
                                  Air Freshener
                     13 oz.
Container # 4. DOT E-7768/20 gal. poly drum. Packed in vermiculite. WMDS 123524 D001
Waste Compressed Gas, N.O.S., Flammable Gas UN 1954
          2 x
                     16 oz.
                                  Wipe-out Insecticide
         1 x
                     13 oz.
                                  Fly-X Insect Spray
                     12 oz.
                                  Flying Insect Killer
          2 x
         2 x
                    20 oz.
                                  Commercial Insecticide
         1 x
                    11 oz.
                                  Roach & Ant Killer
         4 x
                     10 oz.
                                  Ortho, Household Insect Killer
Container # 5. DOT E-7768/55 gal. poly drum. Packed in vermiculite. WMDS 123524
Waste ORM A. N.O.S., ORM A, NA 1693
         2 x
                      5 gal.
                                  Oakite Draw Clean II (1,1,1-Trichloroethane & Tetrahydroxypropyl Ethylenediamine)
         11 x
                      1 qt.
                                  Chlorosolve (Methylene Chloride & Isopropyl Alcohol)
         7 x
                      1 pt.
                                  Chlorosolve (Methylene Chloride & Isopropyl Alcohol)
         2 x
                      8 oz.
                                  Chlorosolve (Methylene Chloride & Isopropyl Alcohol)
Container # 6. DOT 17H/55 gal. drum. Packed in vermiculite. WMDS 123524.
Waste Combustible Liquid, N.O.S., NA 1993
          3 x
                      5 gal.
                                  Epoxy Hardener (PTH&W Industries PH3225) contains Polyamine Resin
Container # 7. DOT 17H/55 gal. drum. Packed in vermiculite. WMDS 123524.
Waste Combustible Liquid, N.O.S., NA 1993
                      5 gal.
          1 x
                                  Epoxy Hardener with polyamine
                      5 gai.
          1 x
                                  Casting Resin (acrylic)
          1 x
                      5 gal.
                                  Epoxy Curing Agent w/amine
                      5 gal.
                                                                                                            Combustible Liquid
                                                                                                                                    UN 2868
         1 x
                                  Resin (HEXCEL)
Container # 8. DOT 17H/55 gal. drum. Packed in vermiculite. WMDS 123524.
Waste Combustible Liquid, N.O.S., NA 1993
          2 x
                      5 gal.
                                  Epoxy Curing Agent w/amine
         1 x
                      5 gal.
                                  Epoxy Hardener
```